


# Scuba SLEEVE

## HOSE COVERS FLEXO



**TECHFLEX**

*Braided Sleeving Products*

29 Brookfield Drive • Sparta, NJ 07871 • 1.800.323.5140 • 973.300.9409 fax

[www.techflex.com](http://www.techflex.com)

## Identifies...

FLEXO® is available in a wide range of colors to quickly identify your hoses. Color code your spare air, octopus, nitrox, O<sub>2</sub>, rental gear or any combination of equipment. The neon FLEXO® appears luminescent when seen under water.

Neon colors glow brightly underwater to make you and your dive buddies more visible.



Differentiate

- Hoses
- Gases
- Gear

## Beautifies...

FLEXO® is designed to attractively and securely cover your hoses. Choose from 30 colors to personalize and coordinate your equipment so you look great on land and under water.




## Protects...

The bottom line in diving is your protection. No amount of protection is too much for the confident diver. FLEXO® protects your hoses from abrasion, cuts, UV light and normal wear.



# Available Colors...



**NITROX (NX)**



**BLACK (BK)**



**CAMO (CA)**



**FIRE (FI)**



**CARBON (CB)**



**OGRE (OG)**



**ORANGE (OR)**



**GRAY (GY)**



**SAFETY STRIPE (SS)**




**RED (RD)**



**DARK PURPLE (DP)**



**YELLOW (YL)**



**NEON PINK (NP)**



**BLUE (BL)**



**JESTER (JS)**




**NEON RED (NR)**



**GREEN (GN)**



**SHERBERT (SB)**




**NEON YELLOW (NY)**



**BROWN (BR)**



**GROUND WIRE (GD)**




**NEON GREEN (NG)**



**BEIGE (BE)**



**DENIM (DE)**



**NEON BLUE (NB)**



**CLEAR (CL)**




**SUPER HERO (SH)**



**PURPLE (PP)**



**WHITE (WH)**



**PATRIOT (PT)**

## Retail Package



**Flexo® Scuba Hose Covers - 44"**  
44" length of FLEXO® in an attractive blister pack with installation instructions, in your choice of colors.

**Hose Covers - SCC0.00\*\***

(\*\* - add two letter color code)

## Shop Spools



**Flexo® Scuba Hose Covers - Spools**  
100' of FLEXO® Scuba Hose Cover in your choice of colors.

**Shop Spools - PTN0.50\*\***

(\*\* - add two letter color code)

## Accessories

### For By-The-Foot Sales and Easy Access

Spool and product management is now simpler and more efficient than ever. Our new display/dispenser rack allows easy control of sleeving inventories and provides a controlled system of neatly dispensing directly from the spools.




The rack is constructed from tough ABS plastic, with plenty of room for a wide range of products. The spools simply drop into the preformed slots and turn freely for dispensing. Full visibility and access ensures easy management of remaining inventory and simple drop-in replacement of empty spools.


**Display Rack - DSN0.00BK**

[www.techflex.com](http://www.techflex.com)


## Easy to Install...



Sleeve FLEXO® onto the low pressure line on the regulator end or onto whatever line you would like to cover.




Slide the FLEXO® onto the end of your hose, about 3" down on hose and tape tightly in place with waterproof (i.e., 3M-2242) tape over the FLEXO®, from the fitting down onto bare hose.




Fold FLEXO® over itself down the length of the hose. Stretch FLEXO® snugly over hose. Mark cut position and pull loose end of sleeving back off hose. Cut at mark with hot knife.

Tape FLEXO® in place at the first stage end tightly enough to keep it from moving while you feed the hose protector onto the hose. Lubricate if necessary.



Install hose protector onto hose over the FLEXO®. Your hose is now identified, beautified and protected with FLEXO®.




## Accessories

### 3M 2242 Self Bonding Tape

Linerless rubber splicing tape. Waterproof and flame retardant. Ideal for moisture sealing and insulating.

**3M 2242 Tape - 3M20.75**



### Bench Mount Hot Knife

Heavy duty components and heavy gauge 2 1/2" blade make this tool ideal for use in production environments. Lighted power switch. Heats to 1,112°F/600°C in 30 seconds. Replaceable blades. 110 volt operation.

**Bench Mount Hot Knife - HKB0.00WH**  
**Replacement Knife Blade - RBB0.00SV**

